Electric Power Systems Research, 18 (1990) 248 - 249

Subject Index

Arc current
secondary, on double-circuit EHV lines employing single-pole switching, computation of, 131

Bad data processing
development of static-state estimator for power station boiler, 191
Boiler
of power station, development of static-state estimator for, 175, 191

Cable dynamics
modern developmerts in, 91
Cables
underground, sensitivity analysis of modal quantities for, considering dielectric loss, 83
Capacitor switching
frequency-domain Z-bus algorithm utilizing symmetrical components for transient analysis during, 161
Compensated lines
series, swivelling characteristic for protection of, 31
Conductors
bundled and single, vibration of, 19
Control
steady-state, of security, using sensitivity-based approach, 1
of voltage, linearized procedure for, 11
Controllers
multivariable excitation, sequential design of different, in multimachine power systems, 37

Dielectric loss
sensitivity analysis of modal quantities for underground cables considering, 83
Differential relaying
harmonic restraint, algorithm for, based on discrete Hartley transform, 125
Digital directional overcurrent relay
design and implementation of versatile, 47

Eigensensitivity analysis
coordinated stabilization of power systems using, 141
Excitation controllers
multivariable, sequential design of different, in multimachine power systems, 37

Fault detection algorithms
high impedance, based on staged fault tests, performance evaluation of, 75
Frequency-domain Z-bus algorithm
utilizing symmetrical components for transient analysis during capacitor switching, 161

Harmonic restraint differential relaying
algorithm for, based on discrete Hartley transform, 125
Hybrid power system
no-storage, wind–diesel, dynamic modelling and robust regulation of, 219

Impedance formulae
analytic, study of super-bundle and low reactance phasings on untransposed twin-circuit line including, 111
Induction motor
squirrel-cage, design of speed controller for, using field-oriented control, 235

Load
weekly, and temperature of substation, optimal forecasting of, 169
Losses
in radial electric distribution systems, reconfiguration algorithm for minimizing, 57

Modal quantities
for underground cables, sensitivity analysis of, considering dielectric loss, 83
Multimachine power systems
sequential design of different multivariable excitation controllers in, 37
Multiprocessors
parallel state estimation using, 67

Newton optimal power flow method
enhanced, single time period optimal VAR planning by, 105

On-line assessment
microprocessor based, of operational reliability of longitudinal power supply system, 99
Optimal forecasting
of weekly load and temperature of substation, 169
Optimal VAR planning
single time period, by enhanced Newton optimal power flow method, 105
Optimization
of power system, two-stage linearized mathematical model for, 205
Overcurrent relay
digital directional, design and implementation of versatile, 47

Parallel state estimation
using multiprocessors, 67
Phasings
super-bundle and low reactance, on untransposed twin-circuit line including analytic impedance formulae, 111

© Elsevier Sequoia/Printed in The Netherlands

Power system optimization
two-stage linearized mathematical model for, 205

Radial electric distribution systems
reconfiguration algorithm for minimizing losses in, 57
Reactive power
transmitted, in power networks, new approach to reduction of, 149
Relay
digital directional overcurrent relay, design and implementation of versatile, 47
Relaying
harmonic restraint differential, algorithm for, based on discrete Hartley transform, 125
Reliability
operational, of longitudinal power supply system, microprocessor based on-line assessment of, 99

Security control
steady-state, using sensitivity-based approach, 1
Sensitivity analysis
of modal quantities for underground cables considering dielectric loss, 83
Sensitivity-based approach
steady-state security control using, 1
Series compensated lines
swivelling characteristic for protection of, 31
Speed controller
design of, for squirrel-cage induction motor using field-oriented control, 235
Squirrel-cage induction motor
design of speed controller for, using field-oriented control, 235
Stabilization
coordinated, of power systems using eigensensitivity analysis, 141
State estimation
parallel, using multiprocessors, 67
Static-state estimator
development of, for power station boiler, 175, 191
Switching
single-pole, computation of secondary arc current on double-circuit EHV lines employing, 131
Swivelling characteristic
for protection of series compensated lines, 31

Temperature
and weekly load of substation, optimal forecasting of, 169
Transient analysis
during capacitor switching, frequency-domain Z-bus algorithm utilizing symmetrical components for, 161

Underground cables
sensitivity analysis of modal quantities for, considering dielectric loss, 83

VAR planning
single time period optimal, by enhanced Newton optimal power flow method, 105
Vibration
of bundled and single conductors, 19
Voltage control
linearized procedure for, 11

Wind–diesel hybrid power system
no-storage, dynamic modelling and robust regulation of, 219

Z-bus algorithm
frequency-domain, utilizing symmetrical components for transient analysis during capacitor switching, 161